



منطقة البريميي الصناعية تلفون : ۱۹۵۸ ۲۰۱۵ - متحرك : ۹۲۳۸۲۳۳ ۹۲۳.. E-mail: omanpaints@balowra.com Website: www.albalowra.com Al Buraimi Industrial Area Tel.: 00968 25642856 - Mob.: 00968 92338133 E-mail: omanpaints@balowra.com Website: www.albalowra.com



COMPANY PROFILE



نبذة عن الشركة

تأسست مجموعة شركات البلورة الوطنية للتجارة في سلطنة عمان عام 2010 ، من قبل الفاضل/ حمدان مبارك خميس الكلبافي . البلورة الوطنية للتجارة لديها العديد من المصانع ، وقد إكتسبت خبرتها ما يقارب أكثر من 5 سنوات في الأعمال التجارية ، والتكنولوجيا الفائقة ، وممارسات التصنيع ، وشبكة التوزيع والقدرات اللوجستية ، وقد نحت الشركة لتكون الشركة الرائدة في مجال تصنيع وتوزيع و تسويق كل ما يخص اعمال المقاولات وما يرتبط بها من منتجات البناء وكل ما يخص المنتجات البناء وكل ما يخص المنتجات الكيميائية من أصباغ والعطور والمنظفات بكل اشكالها. كما إن مقر الشركة في محافظة البريمي في سلطنة عمان .

اقسام الشركة

- 1- مصنع الطابوق الآلي
 - -2 الكسارات
 - 3- الحجر الصناعي
- 4- العطور والمنظفات
- 5- الاصباغ وملحقاتها
- 6- الخدمات اللوجستية و الخدمات القانونية

"Experience In Our Production"

COMPANY PROFILE



ABOUT US

Al Balowra National TRD was established Oman in 2010, with the extreme effort of Mr. Hamdan Mubarak Khamis Al Kalbani. Al Balowra National TRD presently has several factories, being utilizing its expertise gained over more than 5 years in the business, superior technology, manufacturing practices, distribution network and logistic capabilities, company has grown to be the leading manufacturer, distributor and marketer of Blocks, Industrial stone and associated allied building products and the chemical products like paints, perfume & all type of Soap in Al Buraimi, Oman.

OUR DIVISIONS

- Block factory
- 2. Crusher
- 3. Industrial stone factory
- 4. Soap & Perfume factory
- 5. Paint & Chemical factory
- 6. Logistics & Legal services

"Experience In Our Production"







البلورة الوطنية للتجارة AL BALOWRA NATIONAL TRD.


BLOCK FACTORY

Al Balowra National TRD. built their business on a boundless passion for Cement Blocks and on solid foundations such as expertise, down-to-earth values and reliability, all of which shape their high professional profile and represent the strong points that define their work ethic. In over 5 years, they have gained in-depth experience and knowledge of block materials with their many distinctive features and best applications, acquiring special problem-solving skills and distinctive techniques in project development. Al Balowra Cement Blocks offer all-round professional service, from initial project assessment to consultancy and advice on materials, up to and including complete production and installation.

مصنع الطابوق

مجموعة شركات البلورة الوطنية للتجارة دعمت اعمال الصناعات الاسمنتية بالجودة العالية المبنية على الخبرة في عدة مجالات في هذا المضمار مما اكسب المنتج ثقة العميل ثقةً لا حدود لها في صناعة المنتجات الأسمنتية اعتماداً على أسس متينة من الخبرة ، ، وكلها تشكل مستويات رفيعة في الأداء المهني و تمثل النقاط القوية التي تحدد أخلاقيات العمل الخاصة بهم. و في أكثر من 5سنوات إكتسبت شركة البلورة الوطنية للتجارة خبرة ومعرفة في المواد الأسمنتية الداخلة في انتاج الطابوق مع العديد من خصائصها المميزة و أفضل التطبيقات ، واكتساب مهارات لحل المشاكل الخاصة و تقنيات مميزة في تطوير المشاريع .

وتشارك شركة البلورة الوطنية للمنتجات الأسمنتية بنشاط مع المهندسين المعماريين والمصممين الشهيرين ، و تقدم الخدمات المهنية في جميع النواحي ، من تقييم المشروع الأولي للاستشارات والمشورة بشأن المواد ،وإنتاج شركة البلورة الوطنية للتجارة من الطابوق يغطي منطقة واسعة من احتياجات العملاء داخل البرمي وخارجها.









البلورة الوطنية للتجارة AL BALOWRA NATIONAL TRD.


INDUSTRIAL STONES

Production takes place in a fully equipped workshop using advanced machinery and technology, thanks to which Al Balowra National TRD.'s expert team can meet all requirements, even from the most adventurous designers, and give rise to unlimited creative ideas. Production has furthermore been diversified and broadened using computerized system to create unique shapes, from solid stone to models, especially when working extremely complex projects. Rounding off the production process in the pre-installation of all parts to verify that installation requirements have been met. The company's know-how and top technology skills, tightly linked to stone-working traditions, mean the use of their skills can be applied to various different sectors and applications.

مصنع الحجر الصناعي

يتم الإنتاج في ورشة عمل مجهزة تجهيزاً كاملاً بالآلات والتكنولوجيا المتقدمة ، وذلك بفضل فريق من الخبراء من شركة البلورة الوطنية للتجارة الذي يمكنه من تلبية جميع المتطلبات ، بالاضافة الى مجموعة من المصممين اللتي تمتلك أفكار إبداعية غير محدودة. و علاوة على ذلك تم تنويع الإنتاج و توسيع استخدام نظام محوسب لخلق أشكال فريدة من نوعها ، من الحجر الصناعي إلى نهاذج ، خصوصا عندما تعمل في مشاريع معقدة للغاية . يتم اولاً عمل تصميم في غاية الجودة والوضوح يتيح من خلالها للعملاء اختيار الشكل الذي سيظهر من خلاله البناء قبل البدء في عملية تصنيع الحجر ومن ثم يتم تصنيع الحجر والأشكال الهندسية على ايدي مختصين وخبراء حتى يتم تصنيع حجر في غاية الدقة في المقاسات والأحجام ومن ثم يتم تركيبها على ايدي فريق مختص وله من الخبرة الكافية اللتي تمكنه من اظهار البناء في صورة هندسية غاية فالدقة والجمال











البلورة الوطنية للتجارة AL BALOWRA NATIONAL TRD.

CRUSHER

Al Balowra National TRD investor land to set up a crusher in Wadi SAA area.our facility has the capability to produce different size of aggregates, rocks and rock armour as per specific customer's specification and quantity requirements. All rock production fully complies with the appropriate International Standards (BS, ASTM, AASTHO, CIRIA etc). With a fully equipped laboratory and skilled technicians we are able to assure our clients the supply of consistently compliant products in full accordance with all International Standards, Codes of Practice and client requirements. Testing is carried out internally or where required by independent external bodies.

The Crushers will always remain focused on supplying high quality construction materials, while building strong partnerships with our valued customers, staff and suppliers.


الكسارة

تعتبر الكسارة احدى المشاريع اللتي استثمرتها شركة البلورة الوطنية للتجارة في منطقة وادي صاع حيث إن لها القدرة على إنتاج مختلف الأحجام من الرمل والحصى لتلبي رغبات العملاء ومتطلباتهم. وكل إنتاج مواد الكسارة يتوافق تماماً مع المعايير الدولية الملائمة (BS, ASTM, AASTHO, ČIRIA etc).

ومع مختبر مجهز بالكامل وفنيي المختبرات المهرة نحن قادرون على أن نؤكد لعملائنا توريد المنتجات المتوافقة بإستمرار عا يتفق تماماً مع كافة المغايير الدولية

الكسارة تبقى دامًا تركز على توريد مواد البناء عالية الجودة في حين تسعى إلى بناء شراكات قوية مع عملائنا الكرام والموظفين والموردين











السلورة الموطنية للتجسارة AL BALOWRA NATIONAL TRD.

SOAP & PERFUME FACTORY

Through a journey of success, Al-Balowra Perfume Factory became the title of creativity in the field of producing perfumes products. Over several steps in its journey toward becoming one of the successful players in the perfume industry.

AL Balowra National TRD Factory for perfumes represents an integrated system in the fields of high quality perfumes. It works according to a distinguished technique that depends on creativity, consultation, quality management system implementation and team spirit. It does not practice the activity in a traditional way but makes that a real investment to achieve our mission, vision and future plans.

An outstanding team manages our establishment administratively and technically, at both levels of management either board or executive we believe that every team member is important and adds value to our work and quality. we respect the individual's capabilities and provide the environment for each member to excel within our team to achieve the goals and objectives.

It aims to give the necessary domestic market for chemical and care products with high quality and appropriate price detergents through distribution lines up to the majority of the local market segments.

In addition, the efficiency and safety is our motto in application. Al Balowra National Trd. provides high quality care products and favorable price, affordable to the local market and neighboring markets.



مصنع المنظفات والعطور

أتت الخبرة والتي ولدت العزيمة فجعلت منها لغة لها شغف الإتقان لها احتراف التنفيذ. نعم فعالمنا الإداري هو أفكار واضحة في عقول كوادر متحمسة رسمنا به مساراً جديداً في أعلى معايير التميز فحولنا معطيات هذه الصناعة إلى تجربة ناجحة ضمنت في حد ذاتها المكانة القوية التي نطمح إليها والتي جمعت في طباتها كل التقنية المتطورة في صناعة العطور والتي ساعدت في زخم الإنتاج ومواكبة المتطلبات المتزايدة لأنها اعتمدت على أهم عوامل النجاح قوة وفعالية وهو التكامل

الذي أسسناه منذ البداية وطبقناه واقعاً ملموساً احترف التنفيذ في كافة المجالات العطرية . وكذلك منتجات العناية بالجسم ومستحضرات التجميل والمعقمات والمطهرات .

إن عالم صناعة العطور في مصنع البلورة الوطنيه للمنتجات الكيميائية استطاع أن يدير دفة النجاح بإتقان من خلال التحديث المستمر في الرؤى والأفكار وكذلك مراقبة الجودة الشاملة وامتلاك أحدث التقنيات الحديثة والتي عملت عليها كوادر محترفة صاغت الإبداعات وعددت الخيارات والتي أكدت من خلالها مدى الالتزام بالأنظمة الصارمة لسلامة المنتج وتميزه.

كما تهدف شركة البلورة الوطنية للتجارة الى تقديم ما يلزم السوق المحلي من المنظفات الكيميائية و منتجات العناية ذات الجودة العالية و السعر ألمناسب عبر خطوط توزيع تصل إلى غالبية قطاعات السوق المحلى

بالاضافه الى ان الكفاءة و الأمانة هي شعارنا تطبيقاً من مفهوم الآية ألكريمة استقينا هذا الشعار ملتزمين به تطبيقا لا نظير له فقط سائلين المولى عز و جل أن يعيننا على ذلك انه هو المستعان وان نكون مصنعا رائداً يوفر كافة منتجات المنظفات الكيميائية و منتجات العنابة بجودة عالية و سعر مناسب في متناول الجميع للسوق المحلى و الأسواق المجاورة.







البلورة الوطنية للتجسارة AL BALOWRA NATIONAL TRD.



Fabric Softner 1L



Hand Wash 500ml



Hand Wash 500ml



Fabric Softner 1L



اليلورة الوطنية للتجسارة AL BALOWRA NATIONAL TRD.

















Dish Wash 500ml&750ml Body Spray 200ml Soap Powder 120G Ginger Shampoo 320ml



Ginger Shampoo 320ml Soap Powder 120G Body Spray 200ml Dish Wash 500ml&750ml

















































السلورة الموطنية للتجارة AL BALOWRA NATIONAL TRD.

PAINT & CHEMICAL

The Paint factory one of the most important factories from ALBalowra National Chemical Products which has the name of this country (Oman Paints) To provide products and services in the field of paint manufacturing in a way that meets clients desires and needs as well as to emulate the developments in the field for the sake of fulfilling these desires now and in the future

We strive to be a leading and competitive paint factory in Oman and realizing the highest quality standards and excellence through knowledge, expertise and enthusiasm and commit to performance and balanced growth.

مصنع الأصباغ وملحقاتها

يعد مصنع الاصباغ إحدى أهم مصانع البلورة الوطنية للمنتجات الكيميائية من حيث إنه يحمل اسم الدولة الغالية على قلوبنا (اصباغ عمان) ولهذا يتطلع المصنع إلى آفى قي صناعة وتقنية الاصباغ والتوظيف الأمثل لمنتجاتنا في إثراء حياة الإنسان ورفاهيته وأن نكون مصنع اصباغ رائد ومنافس في كل من سلطنة عمان ومنطقة الخليج والعالم أجمع. كما نسعى الى تصحقيق أعلى مصعايي وسرائدة عمان ومنطقة الخليج والعالم أجمع كما نسعى الى تصحقيق المنجزات والنمو المتوازن. من السجودة والخبرة والحماس والالتزام بتحقيق المنجزات والنمو المتوازن. من حيث استخدام المواد الخام عالية الجودة في عمليات الإنتاج بعد إجراء الاختبارات والفحوصات عليها بكل صرامة وشمولية وذلك قبل اعتمادها واستخدامها في عملية الإنتاج. مروراً باستخدام أحدث الأجهرة باستخدام والآلات المتطورة في عمليات الإنتاج. مروراً بتفعيل وتجهيز مختبرات البحث والتطوير وضبط الجودة باستخدام الوسائل المتاحة. بالإضافة الى السباع السمعاير والمواصفات المعتمدة من الهيئة العمانية للمواصفات والمقاييس والجودة لنخرج بمنتج في غاية من الجودة والكفائة .





البلورة الوطنية للتجارة AL BALOWRA NATIONAL TRD.







السلورة الوطنية للتجسارة AL BALOWRA NATIONAL TRD.

تم افتتاح مصنع البيتومين كأحد مصانع شركة البلورة الوطنية للمنتجات الكيميائية والتي تقوم بإنتاج المواد العازلة للماء والتي أساسها البيتومين من لفائف بيتومنية و بيتومين مؤكسد ومستحلبات وموانع تسرب .بالإضافة إلى جميع أنواع بيتومين الطرق من أجود أنواع المواد الخام بالعالم .

إن ما يميز منتجاتنا هو أن المادة الأولية المستخدمة في التصنيع يتم استيرادها من اكبر الموردين المشهورين على مستوى العالم في سلطنة عمان وغيرها وتتطابق مع متطلبات المواصفات الدولية الخاصة بها , ولم تكتفي (شركة البلورة الوطنية لصناعة البيتومين) عند هذا الحد فقد أخذت على عاتقها التنوع في المنتجات والتميز بالجودة, ولدى الشركة خطط لرفع حجم إعمالها لتتضاعف بإذن الله خلال الأعوام القليلة القادمة وذلك لتغطية احتياجات السوق المحلي والخارجي تماشيا مع زيادة الطلب على هذه المنتجات نتيجة لما سيشهده قطاع الإنشاءات من تطور وغو في المنطقة .

إن شركة البلورة الوطنية لصناعة البيتومين عازمة على ضمان جودة منتجاتها وتعتبر إدارة المصنع بإن الجودة العالية هي الأساس عند تنفيذ أي عمل داخل المصنع وجميع العاملين مسئولين عن جودة أعمالهم اليومية وهذا يتحقق من خلال تطبيق نظام إدارة الجودة المصمم لضمان أن جميع متطلبات الجودة يمكن الوفاء بها .

Bitumen plant was inaugurated as one of the company factories ALBalowra National products and chemical that produces insulation material and water with a basis of bitumen from the coil Bitumen and oxidizer bitumen emulsions and sealants as well as all types of bitumen roads from the finest raw materials in the world.

What distinguishes our products is that the raw material used in manufacturing are imported from the largest-known suppliers in the world in the Sultanate of Oman and the other is identical with the requirements of international standards their own, not only (AL Balowra NATIONAL industry bitumen company) at this point it has taken upon itself the diversity in product quality and excellence, and the company plans to raise its turnover to multiply, God willing, in the next few years in order to cover the domestic and external market needs in line with the increase in demand for these products will be witnessed as a result of the construction sector of development and growth in the region.

ALBalowra NATIONAL industry bitumen company is determined to ensure the quality of its products and is considered factory management that high quality is the foundation when you perform any work inside the plant and all responsible for the quality of their daily working and this is achieved through the application of quality designer management system to ensure that all quality requirements can be met









البلورة الوطنية للتجارة AL BALOWRA NATIONAL TRD.

LOGISTICS & LEGAL SERVICES

Logistics is the latest branches of ALBalowra National TRD, and is to include an integrated system of activities inside and outside the organization, such as procurement, storage, distribution transport, handling, packaging, customer service, and scheduling requests. It is management tasks logistics co-ordination and integration of these activities in order to provide products and production inputs at the right time and place and in the condition required, in addition to the role of logistics management in customer service, which helps provide the competitive advantage of the organization and increase their profits.

The Department was established to provide specialized legal services that are practical and value added to cater to the various legal needs of the business community. This newly introduced service is provided through our experienced and professional legal team.

الخدمات اللوجستية والخدمات القانونية

تعتبر الخدمات والإدارة اللوجستية من احدث فروع شركة البلورة الوطنية , و هي تشتمل على منظومة متكاملة من الأنشطة داخل المنظمة وخارجها مثل الشراء , التخزين , النقل التوزيع , المناولة , التعبئة والتغليف , خدمة العملاء , و جدولة الطلبات . ومن مهام الإدارة اللوجستية التنسيق و التكامل بين هذه الأنشطة بهدف توفير المنتجات و مدخلات الإنتاج في الوقت والمكان المناسب و في الحالة المطلوبة, إضافة إلى دور الإدارة اللوجستية في خدمة العملاء مما يساعد على . توفير الميزة التنافسية للمنظمة و زيادة أرباحها

كما تم استحداث و إنشاء قسم الخدمات القانونية لتقديم خدمات قانونية عملية وذات قيمة مضافة تراعي مختلف احتياجات مجتمع الاعمال القانونية . تقدم هذه الخدمة من خلال فريق عمل قانوني متخصص ذات خبرة واسعة

Enamel Matt

Description

Enamel Matt is a fast air drying matt enamel suitable for all applications over metal, wood and walls.

Technical Data

Viscosity 60-90 ku Solid content 70-77 % Density 1.2-1.5 gm/cm3

Gloss Matt

Coverage 6-9 m²/kg (Dry film thickness 50-60 µ)

Substrates and surface preparation

Enamel Matt is recommended for application over wood, metal and walls after proper priming. All new or already painted surfaces should be free from dust, grease and waxes.

Application

Enamel Matt after dilution with white spirit from (10%-30%) to reach the suitable application viscosity.

Drying time at 25 °C & 60% R.H

Initial drying time 3-5h Recoating time 8h Final drying time 16h

Tools

Spray gun, brush or roller Cleaner: white spirit

Color

White and colored

Expiry

Three years from production date if stored in original sealed container at normal temperature. Keep away from direct sun light.

OMAN PAINTS

HAVY TEX

Description

HAVY TEX is a texture product based on acrylic resin and special additives such are sand and quartz coarse granules. Special multipurpose additives in the product offer an attractive sand stone decorative effect and highly durable finish.

Technical Data

Coverage 3-4 kg/m²

Product Features

- Easily formed in different shapes depending on application method;
- Excellent weather resistance:
- Durable: Resistance to hair crack:
- Excellent hiding power;
- Easy to apply;

Substrates and surface preparation

All new or already painted surfaces should be free from dust, grease and waxes.

Application

- 1. Apply EX PRIMER in one coat;
- 2. Stir HAVY TEX well before use.
- 3. Apply HAVY TEX by plastic or fiber trowel until quartz granules of the coat layer appear on the surface. This is recommended thickness of the coat layer to obtain textured sand stone decorative effect.

Drying time at 25 °C & 60% R.H Initial drying time 4 h Final drying time 24 h

Tools

Plastic trowel & putty knife

Cleaner: water

Color

White, colored

Expiry

Two years from production date if stored in original sealed container at normal temperature. Keep away from direct sun light.



OMAN PAINTS

Mastic Matt

Description

Mastic Matt is a high quality matt finish based on modified acrylic emulsion with excellent washability, hiding power and whiteness for interior Extirior surfaces.

Technical Data

Viscosity 80_130 ku Solid content 56±3%

Density 1.52±0.03gm/cm3

Gloss Matt

Coverage 7-10 m²/kg (Dry film thickness40-45µ)

Product Features

 Alkali resistant;- Excellent hiding power;- High whiteness;- Dirt pick-up resistant;- Excellent leveling;

Substrates and surface preparation

Mastic Matt is recommended for application over bricks, plaster, concrete or cement sheets. All new or already painted surfaces should be free from dust, grease and waxes.

Application

Over new surfaces

- 1. Apply Pva Primer in one coat:
- 2. Apply Stucco Filler in two cross layers;
- 3. Apply Pva Primer in one coat again;
- Apply Mastic Matt in two coats after dilution with water (15 % dilution) to reach the application viscosity.

Drying time at 25 °C & 60% R.H

Initial drying time 1h Recoating time 4h Final drying time 6h

Tools

Brush, roller or airless spray gun Cleaner: water

Color

White and can be colored

Expiry

Two years from production date if stored in original sealed container at normal temperature. Keep away from direct sun light.



and exterior surfaces. It is high quality facades paints especially designed to give long lasting durability. **Technical Data**Viscosity 48±3 Ku

Solid content 56±3% Density 1.28±0.03am/cm3

Gloss Semi gloss

Description

Coverage 10-12 m²/kg (Dry film thickness40-45µ)

Product Features

- Chalking resistant; - UV resistant; - Alkali resistant; - High whiteness; - Dirt pick-up resistant;

MASTIC SILK

MASTIC Silk is an attractive elastomeric finish based on acrylic emulsion for interior

- Easily cleaned; - Easily applied

Substrates and surface preparation

MASTIC SILK is recommended for application over bricks, plaster, concrete and asbestos cement sheets. All new or already painted surfaces should be free from dust, grease and waxes.

Application

Over new surfaces

- 1. Apply PVA PRIMER FROM OMAN PAINTS in one coat;
- 2. Apply STUCCO Putty FROME OMAN PAINTSin two cross layers;
- 3. Apply PRIMER in one coat again;
- 5. Apply Silk in two coats after dilution with water (15 % dilution) to reach the application viscosity

Old surface painted with oil or alkyd paints

- 1. Sand and remove dust;
- 2. Apply PVA PRIMER in one coat;
- 3. Apply Mastic Silk as a-top coat in two coats after dilution with water (15 % dilution) to reach the application viscosity.

Old painted surface with emulsion paints

- 1. Wash with water and liquid soup;
- 2. Rinse with water;
- 3. Apply primer in one coat;
- 4. Apply suitable type of emulsion paint in one coat;
- Apply Mastic Silk in two coats after dilution with water (15 % dilution) to reach the application viscosity.

Drying time at 25 °C & 60% R.H.

Initial drying time 1h
Recoating time 4h
Final drying time 6h

Tools

Brush, roller or airless spray gun

Cleaner: water

Color

White and can be colored

Expiry

Two years from production date if stored in original sealed container at normal temperature. Keep away from direct sun light.



OMAN PAINT

PVA PRIMER IN

Description

Pva Primer IN is a priming coat based on modified acrylic resin, especially designed for application over concrete, cement, plaster, bricks and stones. It is used for surface pretreatment.

Technical Data

 $\begin{array}{lll} \mbox{Viscosity} & \mbox{80-130 \pm 3 ku} \\ \mbox{Solid content} & \mbox{44\pm 3 \%} \end{array}$

Density 1.49±0.03 gm/cm3

Gloss Matt

Coverage 9-12 m²/l

Product Features

- Good impregnating ability;
- Easily applied;
- Fast drying;
- High coverage rate;
- Economic cost;

Substrates and surface preparation

Pva Primer IN Is priming coat for cement and plaster surfaces to consolidate the superficial layer of such surfaces. It is used as a sealing coat to insure excellent adhesion of subsequent water based coating system. All new or already painted surfaces should be free from dust, grease and waxes.

Application

Apply Pva Primer IN in one coat after dilution with water (100 % dilution) to reach the application viscosity. Apply Stucco Filler in two cross layers.

Drying time at 25 °C & 60% R.H

Initial drying time 1h

Final drying time 6h

Tools

Brush or roller Cleaner: water

Color

White (after drying)

Expiry

Two years from production date if stored in original sealed container at normal temperature. Keep away from direct sun light.



ACRYLIC ROAD MARKING

Description

A road marking paint based on acrylic resin,pigmented with light fast weather resistant pigment with inert extenders.it is fast drying coating,suitable on asphalt.Good resistance to water,oils and gasoline.

Technical Data

 Flas point
 32°C

 Solid content
 42±2 %

 Gravity
 1.30±0.05

 Smooth
 Matt

 Coverage
 8.5-4.0 m²/l

Product Features

- Good impregnating ability;
- Easily applied;
- Fast drying;
- High coverage rate;
- Economic cost;

Substrates and surface preparation

Before application,the surface should be sound,clean and free from oil,grease,loose particles,dust,etc appliaction can be done by the recommended application methods.

Application

Spray motorized road marking equipments, brush or roller. Thinner 5% depending on the method of application.

Drying time at 30 °C
Touch dry 5-10 minutes
Dry to recoat 30 minutes

Color

White, Black, Yellow, Red & Grey

Expiry

Two years from production date if stored in original sealed container at normal temperature. Keep away from direct sun light.



OMAN PAINTS

P.U HARD TOP TWO COMPONENT

Description

Two component aliphatic acrylic polyurethane finish

Technical Data

Mass density 1.3g/cm
Volume solids 56±2%
Gravity 1.30±0.05
Coverage 11.2m²/l for 50
Touch dry after 1hour
Full cure after 4days

Product Features

- unlimted recoatable
- excellent resistance to atmospheric exposure conditions
- excellent colour and gloss retention
- tough and abrasion resistant
- can be recoated even after long atmospheric exposure
- curses at temperatures down to -5°C

Substrates and surface preparation

During application and curing a substrate temperature down to -5°C is acceptable provided the subtrate is dry and free from ice substrate temperature dhould be at least 3°C above dew point maximum relative humdity during application and curing is85% premature exposure to early condensation and rain may cause colour and gloss change.

Application

High gloss thin film polyurethane finishes tend to atomise less easy the widely used airless spray application method is for those kind of finishes possibke but not be the best option as small nozzles and high pressures can easily result in overspray.

Color

White, Black (other colours on request)-gloss

Expiry

Two years from production date if stored in original sealed container at normal temperature. Keep away from direct sun light.



Solvent based bitumen primer

oman paints is a quick drying solvent based low viscosity bitumen primer. It is used as a primer cool on monany and concrete substrates to improve the adhesion of bitumen based membranes and coatings, oman paints is low in viscosity, which allows it to penetrate into the concrete pores and improve the adhesion between the membrane and the concrete surface. In addition to that, the primer also acts as a binder for the dust particles which gets accumulated on the concrete surface even after cleaning.

CHARACTERISTICS

- Improves the adhesion between bitumen based sheet membranes and coatings
- Cold applied, does not require heating
- Binder for dust particles
- As a curing compound on freshly cast concrete.
- As a curing compound of
 Anti corrosive
- Conforms to the following standards
- ASTM D 41 Asphalt primer for roofing, damp proofing and waterproofing
- BS 3416, Type A Class C Bitumen based coatings for cold application, suitable for use in contact with potable water

FIELDS OF APPLICATION

oman paints is used as a primer and sealer coat prior to the application of bitumen based waterproofing membranes and coatings.

APPLICATION INSTRUCTIONS

The application temperature should be between 5°C to 55°C. Application procedures may vary slightly depending upon site conditions. The general recommended guidelines for the application of the primer is as follows:

Surface preparation

The surface shall be cleaned thoroughly of all contaminants like dust, traces of curing compound, all and grease. All surface imperfections, nail head profrusions, structurally unsound and friable concrete shall be removed and repaired with a suit-able PODYCRET* concrete repair mortar. The surface must be dry before priming with owns paints.

TECHNICAL SPECIFICATION

PROPERTIES	VALUES	TEST STANDARDS	
Density, (g/cc)	0.85-0.90	ASTM D 1475	
Solid content, [% by wt]	40±2	ASTM D 1644	

All values given are subject to 5-10% variation

Application

Mix the contents of the pail or drum for a few minutes to remove any sediments. Apply the primer @4-6 m?/I to a clean smooth and dry surface by brush/roller. Allow the primer to dry prior to the application of the membrane. For highly porous surfaces application of a second coat is recommended.

COVERAGE

The coverage is 4-6 m²/lt./coat. However, the coverage will depend on the porosity of the substrate. In order to ascertain the exact coverage, a trial application is carried out at site.

STORAGE & SHELF LIFE

The pails and drums must be stored in a covered, dry and shaded area, away from direct sunlight, UV and other sources of heat and protected from extreme temperatures. The shelf life of the product is up to 12 months if stored as per the recommendations. Excessive exposure to sunlight and UV will result in the deterioration of the quality of the product and reduce its shelf life.

HEALTH & SAFETY

oman paints contains volatile solvent with a low flash point (38°C). It should be kept far away from naked flame, Avoid inhalation of vapors and ensure there is adequate ventilation in the work place. Gloves, protective masks and goggles should be worn during application. If swallowed seek medical attention immediately.

SUPPLY	
oman paints	15L pail & 200L drum
* Refer to website	or TDS







Flower Dishwashing Liquid

Dishwashing Liquid

FOB Price: 500ML Price 0.350 OR / bottles X 24 bottles = 4.200 OR / Carton

750ML Price 0.450 OR / bottles X 24 bottles = 5.400 OR / Carton

Min.Order Quantity: 100 Carton/Cartons Supply Ability: 1000 Carton/Cartons per Month

Port: OMAN

Payment Terms: L/C,T/T,Western Union,MoneyGram

Packaging & Delivery

Packaging Details: 500g/bottle, 12 bottles/carton; Carton measurements: 28cm X 21cm X 27cm

750g/bottle, 12 bottles/carton;Carton measurements:27.5cm X 23.5cm X 27cm Delivery Detail: 10-15 days after order confirmed.

Specifications

- *Dissolves grease immediately
- *Biodegradable
- *Easy to rinse&no residue
- *Concentrated formula&Take good care of your hands

Flower Dishwashing Liquid

Flower is our factory own registered brand.

Any brand from customers are welcome.

- 1. This kind of dishwashing liquid includes Vitamin E, so that it is gentle to your hand skins.
- 2.Be suitable for all kinds of tablewares and it has a powerful cleaning performance.
- 3.Lemon fragrance brings you clear and fresh feeling.
- 4. Neutral PH value, mild on skin, rich of foam, easy to rinse.
- 5. Super cleaning power, it erases all kinds of greases on tableware surface easily.

Add a few drops into the water and input the tablewares, fruits or vegetables for washing. Then rinse off with clean water.

Please keep it out of reach of children. And if mistakenly swallow in, drink plenty of water or go to the hospital. CONTAINER LOADING CAPACITY.

20GP can load 1750 Carton of 500 ml bottie AND 3625 carton of 750 ml bottie







High performance flower scent fabric

FOB Price: 1 L bottle price 0.750 OR = 6 bottle / carton price = 4.500OR

Min.Order Quantity: 200 Carton/Cartons Supply Ability: 1000 Carton/Cartons per Month

Payment Terms: L/C,D/A,D/P,T/T

Packaging & Delivery

Packaging Details: 1 L x 6/bottles/carton; Carton measurements 33 X 22.5

Delivery Detail: within 3 weeks after receive order

Fabric softener

Features:

1.All-sided softening: Especially adding softness element for different

types of fiber, which makes cloth soft and smooth.

2.Contained fabric maintenance element, assist clothing reverts its natural elasticity, makes clothings puff, soft, moreover prevents clothing from wearing and anamorphic.

3. Non-toxic, biodegradable formula

4.Fresh smell and long-lasting perfume(lemon,flower scent,lavender)

5. Water-saving, time-saving, easy rinse

Flower Fabric softener

Flower is our factory own registered brand.

Any brand from customers are welcome

CONTAINER LOADING CAPACITY.

20GP can load 1647 Carton of 1L bottie

40GP can load 3411 Carton of 1L bottie

Each cubic metre you can transport 58 Cartons







Mild herbal ginger hair shampoo

FOB Price: 320 ML bottle price = 0.600 OM X 12 bottle / carton =7.200 OM Carton price

Min.Order Quantity: 100 Carton

Supply Ability: 20000 cartonper per Month

Port: Oman

Payment Terms:L/C,T/T,Paypal

Brand name: Flower Use: Professional salon/SPA use. Home use

Function: Professionelle, time saving and easy operation Extract: Tea tree oil Size:

325ml

Delivery time: 5-20days Product name: Mild herbal ginger hair shampoo

Packaging & Delivery

Packaging Details: 320ML x 12/bottles/carton;Carton measurements 19.5X 19.5 X 19.5 Delivery Detail: Mild herbal ginger hair shampoo within 15 days

Product Description

Anti-dandruff hair shampoo Feature

A anti-dandruff and anti-itching formula effectively deep cleans away dirt, grease and dandruff, even reduces dandruff.

A good penetrability and easy to be absorbed, strengthens hair, repairs damaged hair and scaln

It is also a natural antiseptic that restrain bactiera with chemicals and rugulate scalp secretion

This product helps nourish and protect hair deep down, restores the health of both hair and scalp, prevents split ends, makes it healthy, shiny, sturdy and elastic.

The formula immediately soothes dry, itchy scalp while also nourishing damaged hair back to healthy life.

It's gentle on your hair and scalp, pleasant smelling and leaves hair looking healthy and manageable.

With regular use helps prevent the recurrence of dandruff.

CONTAINER LOADING CAPACITY.

20GP can load 4000 Carton of 320ML bottle 40GP can load 8285 Carton of 320ML bottle Each cubic metre you can transport 142 Carton







High Quality Blue Washing Detergent

FOB Price: 120g box price = 0.054 /box X 48 box / Carton = 2.600 OM /carton

Min.Order Quantity: 100 Cartons

Supply Ability: 10000 Cartons per Month

Port: Oman

Payment Terms: L/C,T/T

Packaging & Delivery

Packaging Details: 120g box X 48 box / Carton Delivery Detail: 45days after receive deposits

Specifications

1.remove solid stains

2.OEM orders

2.hand/machine wash

3.with STPP or without

Quick Details

Type: Detergent Detergent Type: Cleaner Detergent Use: Apparel Shape: PowderFeature: Eco-Friendly Place of Origin: Oman

Brand Name: Flower Active matter: 3%-24%

Origin: Oman Perfume: FLOWER Foam: High Samples: Free Payment: T/TPort: OMAN

Packaging & Delivery

Packaging Detail: 120g X 48/box/carton; Carton measurements 45X 21X 29.5 Delivery Detail: 15 days after we receive the deposits

Specifications

- 1. High effective OEM clothes washing powder
- 2. High Effective to remove dirt
- 3. High Foam strong perfume
- 4.Brigher the clothes.

2. MAIN FEATURES

- 1 Specification : As buyer request and OEM.
- 2 Perfume: Good and fresh smell, flower smell,
- 3 Foam: High Foam
- 4 Suitable density: as your need from 120g/l to 550g/l.
- 5 Packing : As requested
- 6 Washing: In cool, normal, warm temperature are effective
- 7 Suitable for hand and machine wash
- 8 Suitable for both hard and soft water 9 Non-harmful to skin
- 10 Protect fabrics
- 11 Protect both environment and health
- 12 High quality
- 13 Competitive price



3. WASHING POWEDER PACKING

We can make different kinds of package

(such as Plastic bag , Woven bag , Bucket & Box.),

Plastic bag :from 15g/bag to 3kg/bag.

Woven bag: from 5kg/bag to 50kg/bag.

Trotell bag : Irolli okgrbag to bokgrbag.

Box: such as 120g,300g,450g to 9kg/carton.


Buckets: 5kg/buckets to 12kg/buckets.

CONTAINER LOADING CAPACITY.

20GP can load 1037 Carton of 120g box .

40GP can load 2148 Carton of 120g box

Each cubic metre you can transport 37 Ca





500ml hand wash liquid

FOB Price: 500ml bottle = 0.291 OM/bottle X 24 bottle / carton = 7.000 OM

Min.Order Quantity 100 Carton/Cartons

Supply Ability: 10000 Carton/Cartons per Month

Port: Sohar oman

Payment Terms: L/C,D/A,D/P,T/T

Packaging & Delivery

Packaging Details: 500ML X 24/bottles/carton; Carton measurements 38.5 X 30X 18

Delivery Detail: within 3 weeks after receive order

Hand wash Features:

- 1. Easy to apply, a safe and effective hand care solution for all trades
- 2. Protecting your hands from a wide range of unseen germs.
- 3.It is also enriched with moisture to gently clean and help protect delicate hands.
- 4.Soft and harlmless to hand
- 5. Suitable for hand sterilization in family, medical institution, bank, hotel, etc
- 6.Natural and friendly, no harm to hand
- 7. Fresh smell and long-lasting flavor(lemon,apple)

Flower Hand wash

Flower is our factory own registered brand.

Any brand from customers are welcome

CONTAINER LOADING CAPACITY.

20GP can load 1400 Carton of 500ML bottie 40GP can load 2900 Carton of 500ML bottie Each cubic metre you can transport 50 Carton







500ml hand wash liquid

FOB Price: 500ml bottle = 0.291 OM/bottle X 24 bottle / carton = 7.000 OM

Min.Order Quantity 100 Carton/Cartons

Supply Ability: 10000 Carton/Cartons per Month

Port: Sohar oman

Payment Terms: L/C,D/A,D/P,T/T

Packaging & Delivery

Packaging Details: 500ML X 24/bottles/carton; Carton measurements 38.5 X 30X 18

Delivery Detail: within 3 weeks after receive order

Hand wash Features:

- 1. Easy to apply, a safe and effective hand care solution for all trades
- 2. Protecting your hands from a wide range of unseen germs.
- 3.It is also enriched with moisture to gently clean and help protect delicate hands.
- 4. Soft and harlmless to hand
- 5. Suitable for hand sterilization in family, medical institution, bank, hotel, etc.
- 6.Natural and friendly, no harm to hand
- 7. Fresh smell and long-lasting flavor(lemon,apple)

Flower Hand wash

Flower is our factory own registered brand.

Any brand from customers are welcome

CONTAINER LOADING CAPACITY.

20GP can load 1400 Carton of 500ML bottle 40GP can load 2900 Carton of 500ML bottle Each cubic metre you can transport 50 Carton

